CLAIMS

We claim:

Jub	B2.
1	1

- 1. A composition comprised of a plurality of nucleocapsid protein monomers,
- the primary sequences of which are derived from duck hepatitis B virus,
- wherein said plurality of monomers are assembled to form a particle.
- 2. The composition of claim 1 wherein at least a first portion of said
- 2 nueleocapsid protein monomers include a first hapten.

Sub 2

3

- > 3. The composition of claim 2 wherein at least a second portion of said nucleocapsid protein monomers includes a second hapten different from said first hapten.
- 4. The composition of claim 1 wherein said particle includes a nucleic acid.
- 5. The composition of claim 2 wherein said particle includes a nucleic acid.
- 1 6. The composition of claim 3 wherein said particle includes a nucleic acid.
- 7. The composition of claim 4 wherein said nucleic acid is selected from the
- 2 group consisting of: SEQ IDs 3-19.
- 8. The composition of claim 5 wherein said nucleic acid is selected from the
- group consisting of: SEQ IDs 3-19.

- 9. The composition of claim 6 wherein said nucleic acid is selected from the group consisting of: SEQ IDs 3-19.
- 10. The composition of claim 2 wherein said first hapten is associated with a disease condition caused by an agent selected from the group consisting of:

 single stranded DNA viruses, double stranded DNA viruses, single stranded RNA viruses, intracellular parasites, fungi,
 - 5 bacteria, and cancer.
 - 1 11. The composition of claim 3 wherein said second hapten is associated with a
 - disease condition caused by an agent selected from the group consisting of:
 - 3 single stranded DNA viruses, double stranded DNA viruses, single stranded
 - RNA viruses, double stranded RNA viruses, intracellular parasites, fungi,
 - 5 bacteria, and cancer.
 - 1 12. The composition of claim 1 further comprising first and second haptens and said particle is assembled as an extrinsic mosaic.
 - 1 13. The composition of claim 1 further comprising first and second haptens 2 intrinsic to said nucleocapsid protein monomers and said particle is assembled 3 as an intrinsic mosaic.

14. A method of delivering nucleic acids to a subject in need thereof,
comprising, administering to said subject a composition comprised of a nucleic
acid and a plurality of nucleocapsid protein monomers, the primary sequences
of which are derived from duck hepatitis B virus, wherein said plurality of

5	monomers are assembled to form a particle, and wherein said nucleic acid is
6	contained within said particle.
1	15. The method of claim-14 wherein at least a first portion of said nucleocapsid
2	protein monomers include a first hapten.
1	16. The method of claim 14 wherein at least a second portion of said
2	nucleocapsid protein monomers includes a second hapten different from said
3	first hapten.
Sub	Ry 1
1	17. A nucleocapsid protein monomer particle processing method, comprising
2	the steps of:
3	providing a composition comprised of a plurality of nucleocapsid protein
4	monomers, the primary sequences of which are derived from duck hepatitis B
5	virus, wherein said plurality of monomers are assembled to form a particle,
6	exposing said particle to a charged agent to produce a mixture of said
7	monomers in a non-particle form, and
8	removing said charged agent from said mixture to assemble a particle
9	from nucleocapsid protein monomers in said mixture.
1	18. The method of claim 17, further comprising the step of removing unwanted
2	nucleic acid from said mixture produced during said exposing step.
1	19. The method of claim 17, further comprising the step of adding a nucleic acid
2	to said mixture produced during said exposing step.

2

3

4

5

- 20. The method of claim 17, wherein said charged agent used in said exposing step is a divalent cation selected from the group consisting of: Mg⁺², Zn⁺², Ba⁺², Sr⁺², Ca⁺² and Pb⁺².
 - 21. A method for illiciting an immunogenic response in a patient in need thereof, comprising the step of administering to said patient an effective amount of a composition comprised of a plurality of nucleocapsid monomers, the primary sequences of which are derived from duck hepatitis B virus, wherein said plurality of monomers are assembled to form a particle.
- 22. The method of claim 21 wherein said composition further comprises a nucleic acid incorporated within said particle.
- 23. The method of claim 21 wherein said composition further comprises one or more haptens associated with at least a portion of said plurality of nucleocapsid monmers.

